Hydrobiologia

The International Journal of Aquatic Sciences

Volume 518, 1 May 2004

***Plumatella geimermassardi*, a newly recognized freshwater bryozoan from Britain, Ireland, and continental Europe (Bryozoa: Phylactolaemata)**
T.S. Wood & B. Okamura 1–7

Growth and biomass allocation of sweet flag (*Acorus calamus* L.) under different nutrient conditions
L. Vojtíšková, E. Munzarová, O. Votrubová, A. Řihová & B. Juřicová 9–22

0-group flatfish growth conditions on a nursery ground (Bay of Canche, Eastern English Channel)
R. Amara 23–32

Changes in water quality and macroinvertebrate communities resulting from urban stormflows in the Provo River, Utah, U.S.A.
L. Gray 33–46

The importance of hyporheic sediment respiration in several mid-order Michigan rivers: comparison between methods in estimates of lotic metabolism
D.G. Uzarski, C.A. Stricker, T.M. Burton, D.K. King & A.D. Steinman 47–57

Swamps, springs and diatoms: wetlands of the semi-arid Bogoria-Baringo Rift, Kenya
R.B. Owen, R.W. Renaut, V.C. Hover, G.M. Ashley & A.M. Muasya 59–78

The influence of stream habitat and water quality on macroinvertebrate communities in degraded streams of northwest Mississippi
J.D. Maul, J.L. Farris, C.D. Milam, C.M. Cooper, S. Testa III & D.L. Feldman 79–94

Evidence of a threshold level of fine sediment accumulation for altering benthic macroinvertebrate communities
M.D. Kaller & K.J. Hartman 95–104

Variation in abundance and spatial distribution of ecomorphs of the sea urchins, *Echinometra* sp. nov A and *E.* sp. nov C on a Fijian reef
S.D. Appana, V.C. Vuki & R.L. Cumming 105–110

***Ilyocryptus uenoi* sp. nov. (Anomopoda, Cladocera, Branchiopoda) from Japan**
A.A. Kotov & S. Tanaka 111–121

Structure of the zooplankton community in a subtropical shallow lake (Itapeva Lake – South of Brazil) and its relationship to hydrodynamic aspects
L. de S. Cardoso & D. da Motta Marques 123–134

Break-through in predictive modelling opens new possibilities for aquatic ecology and management – a review
L. Håkanson 135–157

Phenology of *Paralemanea annulata* (Lemaneaceae, Rhodophyta) in an Ohio woodland stream
N.R. Filkin & M.L. Vis 159–168

Influence of Chironomidae (Diptera) faecal pellet accumulation on lake sediment quality and larval abundance of pestiferous midge *Glyptotendipes paripes*
J. Frouz, R.J. Lobinske & A. Ali 169–177

Substrate specificity, environmental degradation and disturbance structuring macroinvertebrate assemblages in neotropical streams
D.F. Buss, D.F. Baptista, J.L. Nessimian & M. Egler 179–188

Features of hypereutrophic Molino lagoon ecosystem dominated by sedentary polychaetes
Y.I. Sorokin, P.Y. Sorokin, O.Y. Zakuskina & F. Dallocchio 189–200

Composition, vertical distribution and age of zooplankton benthic eggs in the sediments of two contrasting estuaries of the Bay of Biscay
R. Masero & F. Villate 201–212

Electronic journals at
KluwerOnline
WWW.KLUWERONLINE.NL
Contact your librarian for more information